

Business Register Web Services – XML Services (v6 adapter)

Business register web services – XML services

| | |
|--|----|
| Introduction: | 3 |
| 1. Simple company data query (status query) | 4 |
| 2. Detailed company data query | 7 |
| 3. Query for a list of documents related to the company (links to the respective documents) | 18 |
| 4. Company annual reports list query | 21 |
| 5. Company annual report query | 24 |
| 6. Classifiers used in web services | 36 |
| 7. Rights of representation of all persons related to the company | 40 |
| 8. Company data change list query (Query for changes across 15 days) | 43 |
| 9. Company requisite information service | 47 |
| 10. Company's requisite information file service | 50 |
| 11. Service of issuing the data of auditor's reports related to annual reports | 52 |
| 12. Service of issuing the breakdown of revenue pursuant to the Classification of Economic Activities related to the annual report | 55 |
| 13. Query for e-invoice recipients | 59 |
| 14. Service of data on beneficial owners | 62 |

Introduction:

Business register web services (XML services) are intended for those users that need to make bulk inquiries from the Business Register and the Land Register, and store the received data in their database.

Link to the WSDL file of the service:

- In the test environment: <https://demo-ariregxmlv6.rik.ee/?wsdl>
- In the production environment: <https://ariregxmlv6.rik.ee/?wsdl>

Service address:

Service in the production environment:

<https://ariregxmlv6.rik.ee/>

Test environment

<https://demo-ariregxmlv6.rik.ee/>

Input parameters:

Each query has at least one required input parameter: paringu_nimi (query name) that shows which query is being made.

In order to use the service, authentication is required using e-Business register user name and password

- 1) Business register information system session

In addition, all inquiries have optional input parameters:

- **Language:** est – Estonian (default), eng – English

1. Simple company data query (status query)
(valid as of 1 May 2017)

Query name: arireg.lihtandmed_v2

Explanation: Valid general data of companies in limited volume (status query)

Additional information: In use as of 1 May 2017. A maximum of 100 entries are returned when searching by name.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_lihtandmed_v2.xsd

Price: €0.01 + VAT

Input parameters / search variables:

| Name | Meaning | Notes |
|------------------------------|------------------------------|---------------------------------|
| ariregister_kasutajanimi | Business register user name | (mandatory) |
| ariregister_parool | Business register password | (mandatory) |
| Ariregister_valjundi_formaat | The format of the output | "json" or "xml". Default is xml |
| evnimi | Business name | |
| ariregistri_kood | Registry code of the company | |
| evarv | Maximum number of results | |
| keel | Language | Value est or eng |

Output data:

- Name of the company
- Legal form of the company
- Former business names of the company
- Registry code of the company
- Status of the company in the business register
- Registry area
- Equity of the company
- Address of the company
- Initial registration date (i.e. date of initial entry in the court register)

Sample Query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
```

```
<soapenv:Body>
  <prod:lihtandmed_v2>
    <prod:keha>
      <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
      <prod:ariregister_parool>parool</prod:ariregister_parool>
      <prod:ariregistri_kood>70000310</prod:ariregistri_kood>
    </prod:keha>
  </prod:lihtandmed_v2>
</soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:lihtandmed_v2Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>parool</ns1:ariregister_parool>
        <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
      </ns1:paring>
      <ns1:keha>
        <ns1:ettevotjad>
          <ns1:item>
            <ns1:evnimi>Registrite ja Infosüsteemide Keskus</ns1:evnimi>
            <ns1:oiguslik_vorm>TRAS</ns1:oiguslik_vorm>
            <ns1:oiguslik_vorm_tekstina>Täidesaatva riigivõimu asutus või riigi muu institutsioon</ns1:oiguslik_vorm_tekstina>
            <ns1:oigusliku_vormi_alaliik>MHRA</ns1:oigusliku_vormi_alaliik>
            <ns1:oigusliku_vormi_alaliik_tekstina>Ministeeriumi hallatav riigiasutus</ns1:oigusliku_vormi_alaliik_tekstina>
            <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
          </ns1:item>
        </ns1:ettevotjad>
      </ns1:keha>
    </ns1:lihtandmed_v2Response>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
<ns1:staatus>R</ns1:staatus>
<ns1:staatus_tekstina>Registrisse kantud</ns1:staatus_tekstina>
<ns1:registrist_kustutamise_aeg xsi:nil="1"/>
<ns1:piirkond>5</ns1:piirkond>
<ns1:piirkond_tekstina>Tartu</ns1:piirkond_tekstina>
<ns1:evaadressid>
  <ns1:asukoht_ettevotja_aadressis>Lõkke tn 4</ns1:asukoht_ettevotja_aadressis>
  <ns1:asukoha_ahak_kood>0298</ns1:asukoha_ahak_kood>
  <ns1:asukoha_ahak_tekstina>Tallinn</ns1:asukoha_ahak_tekstina>
  <ns1:indeks_ettevotja_aadressis>19081</ns1:indeks_ettevotja_aadressis>
  <ns1:aadress_ads__ads_oid>ME01086941</ns1:aadress_ads__ads_oid>
  <ns1:aadress_ads__adr_id>2252099</ns1:aadress_ads__adr_id>
  <ns1:aadress_ads__ads_normaliseeritud_taisaadress>Harju maakond, Tallinn, Kesklinna linnaosa, Lõkke tn
4</ns1:aadress_ads__ads_normaliseeritud_taisaadress>
  <ns1:aadress_ads__adob_id>7124345</ns1:aadress_ads__adob_id>
  <ns1:aadress_ads__koodaadress>377840298000049K00001E4400000000</ns1:aadress_ads__koodaadress>
</ns1:evaadressid>
<ns1:esmakande_aeg>23.09.1998</ns1:esmakande_aeg>
</ns1:item>
</ns1:ettevotjad>
<ns1:leitud_ettevotjate_arv>1</ns1:leitud_ettevotjate_arv>
</ns1:keha>
</ns1:lihtandmed_v2Response>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

2. Detailed company data query (valid as of 1 May 2017)

Query name: arireg.detailandmed_v2

Explanation: Detailed company data query

Additional information: originally in use as of 1 May 2017

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_detailandmed_v2.xsd

Price: Depends on the released data

- General data €1
- General and personnel data €2
- Commercial pledge data €1
- General and commercial pledge data €2
- General, personnel and commercial pledge data €3

Input parameters / search variables:

| Name | Meaning | Notes |
|-------------------------------|---|--------------------------------|
| ariregister_kasutajanimi | e-Business register user name | |
| ariregister_parool | e-Business register password | |
| ariregister_session | Business register session | |
| ariregister_valjundi_formaat | Business register output format | "json" or "xml". Default: xml. |
| arinimi | Business name | |
| ariregistri_kood | Registry code of the company | |
| ettevotja_id | Business register internal company ID | |
| asukoht_ettevotja_aadressis | Location in the company address | |
| haldyksus_ettevotja_aadressis | Administrative unit in the company address | |
| fyysilise_isiku_eesnimi | First name of the related natural person | |
| fyysilise_isiku_perekonnanimi | Last name of the related natural person | |
| fyysilise_isiku_synniaeg | Date of birth of the related natural person | |

| | | |
|---------------------------|--|---|
| fyysilise_isiku_kood | Personal identification code of the related natural person | |
| fyysilise_isiku_roll_jada | Roles of the related natural person | |
| yandmed | General data required | Value 1 or 0, i.e. yes or no. Default: 0 = no. |
| iandmed | Personnel data required | Value 1 or 0, i.e. yes or no. Default: 0 = no. If the value is 1, general data are also displayed automatically, because personnel data cannot be purchased separately. |
| kandmed | Commercial pledge data required | Value 1 or 0, i.e. yes or no. Default: 0 = no. |
| dandmed | Application data being processed required | Value 1 or 0, i.e. yes or no. Default: 0 = no. |
| maarusd | Regulations required | Value 1 or 0, i.e. yes or no. Default: 0 = no. |
| ainult_kehtivad | Display only current data | Value 1 or 0, i.e. yes or no. Default: 0 = no. |
| staatused | Statuses | R – entered in the register, L – in liquidation, N – bankrupt, K – deleted. Default – all statuses. |
| keel | Language of classifiers | Value est or eng |
| evarv | Maximum number of companies | Default – maximum of 10 companies |

Output data:

- Registry code and business name of the company
- General data
- Personnel data
- Commercial pledge data
- Applications being processed
- Regulations
- Registry cards

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:detailandmed_v2>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
        <prod:ariregistri_kood>70000310</prod:ariregistri_kood>
        <prod:yandmed>1</prod:yandmed>
        <prod:iandmed>1</prod:iandmed>
        <prod:kandmed>0</prod:kandmed>
        <prod:dandmed>0</prod:dandmed>
        <prod:maarused>0</prod:maarused>
      </prod:keha>
    </prod:detailandmed_v2>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:detailandmed_v2Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>parool </ns1:ariregister_parool>
        <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
        <ns1:yandmed>>true</ns1:yandmed>
        <ns1:iandmed>>true</ns1:iandmed>
        <ns1:kandmed>>false</ns1:kandmed>
        <ns1:dandmed>>false</ns1:dandmed>
      </ns1:paring>
    </ns1:detailandmed_v2Response>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
<ns1:maarused>>false</ns1:maarused>
</ns1:paring>
<ns1:keha>
  <ns1:ettevotjad>
    <ns1:item>
      <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
      <ns1:ettevotja_id>9000176081</ns1:ettevotja_id>
      <ns1:nimi>Registrite ja Infosüsteemide Keskus</ns1:nimi>
      <ns1:kmk_r_number>EE100523377</ns1:kmk_r_number>
      <ns1:yldandmed>
        <ns1:esmaregistreerimise_kpv>1998-09-23Z</ns1:esmaregistreerimise_kpv>
        <ns1:staatus>R</ns1:staatus>
        <ns1:staatus_tekstina>Registrisse kantud</ns1:staatus_tekstina>
        <ns1:piirkond>5</ns1:piirkond>
        <ns1:piirkond_tekstina>Tartu</ns1:piirkond_tekstina>
        <ns1:piirkond_tekstina_pikk>Tartu Maakohtu registriosakond</ns1:piirkond_tekstina_pikk>
        <ns1:mkr_reg_kpv/>
        <ns1:raamatupidamiskohustused>
          <ns1:item>
            <ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
            <ns1:kaardi_nr>1</ns1:kaardi_nr>
            <ns1:kaardi_tyypp>G</ns1:kaardi_tyypp>
            <ns1:kande_nr>1</ns1:kande_nr>
            <ns1:sisu>>false</ns1:sisu>
            <ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
          </ns1:item>
        </ns1:raamatupidamiskohustused>
        <ns1:ettevotja_tegevuse_aeg/>
        <ns1:evks_registreeritud>>false</ns1:evks_registreeritud>
        <ns1:oiguslik_vorm>TRAS</ns1:oiguslik_vorm>
        <ns1:oiguslik_vorm_nr>20</ns1:oiguslik_vorm_nr>
        <ns1:oiguslik_vorm_tekstina>Täidesaatva riigivõimu asutus või riigi muu institutsioon</ns1:oiguslik_vorm_tekstina>
        <ns1:oigusliku_vormi_alaliik>MHRA</ns1:oigusliku_vormi_alaliik>
        <ns1:oigusliku_vormi_alaliik_tekstina>Ministeeriumi hallatav riigiasutus</ns1:oigusliku_vormi_alaliik_tekstina>
      <ns1:staatused>
        <ns1:item>
```

```
<ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
<ns1:kaardi_nr>1</ns1:kaardi_nr>
<ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
<ns1:kande_nr>1</ns1:kande_nr>
<ns1:staatus>R</ns1:staatus>
<ns1:staatus_tekstina>Registrisse kantud</ns1:staatus_tekstina>
<ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
</ns1:item>
</ns1:staatused>
<ns1:arinimed>
<ns1:item>
<ns1:kirje_id>6668437</ns1:kirje_id>
<ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
<ns1:kaardi_nr>1</ns1:kaardi_nr>
<ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
<ns1:kande_nr>1</ns1:kande_nr>
<ns1:sisu>Registrite ja Infosüsteemide Keskus</ns1:sisu>
<ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
</ns1:item>
</ns1:arinimed>
<ns1:taiendavad_nimed/>
<ns1:aadressid>
<ns1:item>
<ns1:kirje_id>7385442</ns1:kirje_id>
<ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
<ns1:kaardi_nr>1</ns1:kaardi_nr>
<ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
<ns1:kande_nr>3</ns1:kande_nr>
<ns1:ehak>0298</ns1:ehak>
<ns1:ehak_nimetus>Kesklinna linnaosa, Tallinn, Harju maakond</ns1:ehak_nimetus>
<ns1:tanav_maja_korter>Lökke tn 4</ns1:tanav_maja_korter>
<ns1:aadress_ads__ads_oid>ME01086941</ns1:aadress_ads__ads_oid>
<ns1:aadress_ads__adr_id>2252099</ns1:aadress_ads__adr_id>
<ns1:aadress_ads__ads_normaliseeritud_taisaadress>Harju maakond, Tallinn, Kesklinna linnaosa, Lökke tn
4</ns1:aadress_ads__ads_normaliseeritud_taisaadress>
<ns1:aadress_ads__adob_id>7124345</ns1:aadress_ads__adob_id>
```

```
<ns1:address_ads__koodaaddress>3778402980000049K00001E4400000000</ns1:address_ads__koodaaddress>
<ns1:postiindeks>19081</ns1:postiindeks>
<ns1:algus_kpv>2017-12-13Z</ns1:algus_kpv>
</ns1:item>
<ns1:item>
  <ns1:kirje_id>6668438</ns1:kirje_id>
  <ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
  <ns1:kaardi_nr>1</ns1:kaardi_nr>
  <ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
  <ns1:kande_nr>1</ns1:kande_nr>
  <ns1:ehak>0784</ns1:ehak>
  <ns1:ehak_nimetus>Tallinn, Harju maakond</ns1:ehak_nimetus>
  <ns1:tanav_maja_korter>Lökke 4</ns1:tanav_maja_korter>
  <ns1:postiindeks>19081</ns1:postiindeks>
  <ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
  <ns1:lopp_kpv>2017-12-13Z</ns1:lopp_kpv>
</ns1:item>
</ns1:aadressid>
<ns1:juhatuse_asukoha_aadressid/>
<ns1:kontaktisiku_aadressid/>
<ns1:ky_asukoha_aadressid/>
<ns1:kinnisasjad/>
<ns1:oiguslikud_vormid>
  <ns1:item>
    <ns1:kirje_id>6668441</ns1:kirje_id>
    <ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
    <ns1:kaardi_nr>1</ns1:kaardi_nr>
    <ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
    <ns1:kande_nr>1</ns1:kande_nr>
    <ns1:sisu>TRAS</ns1:sisu>
    <ns1:sisu_nr>20</ns1:sisu_nr>
    <ns1:sisu_tekstina>Täidesaatva riigivõimu asutus või riigi muu institutsioon</ns1:sisu_tekstina>
    <ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
  </ns1:item>
</ns1:oiguslikud_vormid>
<ns1:oigusliku_vormi_alaliigid>
```

```
<ns1:item>
  <ns1:kirje_id>6668442</ns1:kirje_id>
  <ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
  <ns1:kaardi_nr>1</ns1:kaardi_nr>
  <ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
  <ns1:kande_nr>1</ns1:kande_nr>
  <ns1:sisu>MHRA</ns1:sisu>
  <ns1:sisu_tekstina>Ministeeriumi hallatav riigiasutus</ns1:sisu_tekstina>
  <ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
</ns1:item>
</ns1:oigusliku_vormi_alaliigid>
<ns1:kapitalid/>
<ns1:nimivaartuseta_aktiad/>
<ns1:oigusjargsused/>
<ns1:seisundi_muutused/>
<ns1:majandusaastad>
  <ns1:item>
    <ns1:kirje_id>6668443</ns1:kirje_id>
    <ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
    <ns1:kaardi_nr>1</ns1:kaardi_nr>
    <ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
    <ns1:kande_nr>1</ns1:kande_nr>
    <ns1:maj_aasta_algus>01.01</ns1:maj_aasta_algus>
    <ns1:maj_aasta_lopp>31.12</ns1:maj_aasta_lopp>
    <ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
  </ns1:item>
</ns1:majandusaastad>
<ns1:pohikirjad/>
<ns1:kompromissi_tahtajad/>
<ns1:asutamise_ajad>
  <ns1:item>
    <ns1:kirje_id>6668440</ns1:kirje_id>
    <ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
    <ns1:kaardi_nr>1</ns1:kaardi_nr>
    <ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
    <ns1:kande_nr>1</ns1:kande_nr>
```

```
<ns1:sisu>1994-04-29Z</ns1:sisu>
<ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
</ns1:item>
</ns1:asutamise_ajad>
<ns1:tegutsemise_tahtajad/>
<ns1:esmanimetamise_ajad/>
<ns1:valislepingud/>
<ns1:markused_kaardil/>
<ns1:tegevusalad_kaardil/>
<ns1:eesmargid_kaardil/>
<ns1:sidevahendid>
  <ns1:item>
    <ns1:kirje_id>9000414293</ns1:kirje_id>
    <ns1:liik>FAX</ns1:liik>
    <ns1:liik_tekstina>Faks</ns1:liik_tekstina>
    <ns1:sisu>+3726460165</ns1:sisu>
  </ns1:item>
  <ns1:item>
    <ns1:kirje_id>9000414292</ns1:kirje_id>
    <ns1:liik>TEL</ns1:liik>
    <ns1:liik_tekstina>Telefon</ns1:liik_tekstina>
    <ns1:sisu>+372 6636300</ns1:sisu>
  </ns1:item>
  <ns1:item>
    <ns1:kirje_id>9000414294</ns1:kirje_id>
    <ns1:liik>EMAIL</ns1:liik>
    <ns1:liik_tekstina>Elektronposti aadress</ns1:liik_tekstina>
    <ns1:sisu>rik@just.ee</ns1:sisu>
  </ns1:item>
</ns1:sidevahendid>
<ns1:teatatud_tegevusalad>
  <ns1:item>
    <ns1:kirje_id>9000274622</ns1:kirje_id>
    <ns1:emtak_kood>84119</ns1:emtak_kood>
    <ns1:emtak_tekstina>Mujal liigitamata riigi haldustegevus</ns1:emtak_tekstina>
    <ns1:emtak_versioon>2</ns1:emtak_versioon>
```

```
<ns1:nace_kood>84.11</ns1:nace_kood>
<ns1:on_pohitegevusala>true</ns1:on_pohitegevusala>
<ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
</ns1:item>
</ns1:teatatud_tegevusalad>
<ns1:info_majandusaasta_aruannetest/>
<ns1:asutatud_sissemakset_tegemata>>false</ns1:asutatud_sissemakset_tegemata>
<ns1:on_raamatupidamiskohustuslane>>false</ns1:on_raamatupidamiskohustuslane>
</ns1:yldandmed>
<ns1:isikuandmed>
<ns1:kaardile_kantud_isikud>
<ns1:item>
<ns1:kirje_id>6668439</ns1:kirje_id>
<ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
<ns1:kaardi_nr>1</ns1:kaardi_nr>
<ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
<ns1:kande_nr>1</ns1:kande_nr>
<ns1:isiku_tyyp>J</ns1:isiku_tyyp>
<ns1:isiku_roll>KOAS</ns1:isiku_roll>
<ns1:isiku_roll_tekstina>Kõrgemalseisev asutus</ns1:isiku_roll_tekstina>
<ns1:nimi_arinimi>Justiitsministeerium</ns1:nimi_arinimi>
<ns1:isikukood_registrikood>70000898</ns1:isikukood_registrikood>
<ns1:algus_kpv>1998-09-23Z</ns1:algus_kpv>
</ns1:item>
<ns1:item>
<ns1:kirje_id>6680499</ns1:kirje_id>
<ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
<ns1:kaardi_nr>1</ns1:kaardi_nr>
<ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
<ns1:kande_nr>2</ns1:kande_nr>
<ns1:isiku_tyyp>F</ns1:isiku_tyyp>
<ns1:isiku_roll>ASES</ns1:isiku_roll>
<ns1:isiku_roll_tekstina>Asutuse esindusõiguslik isik</ns1:isiku_roll_tekstina>
<ns1:eesnimi>Mehis</ns1:eesnimi>
<ns1:nimi_arinimi>Sihvart</ns1:nimi_arinimi>
<ns1:isikukood_registrikood>37702014914</ns1:isikukood_registrikood>
```

```
<ns1:aadress_riik>EST</ns1:aadress_riik>
<ns1:aadress_riik_tekstina>Eesti</ns1:aadress_riik_tekstina>
<ns1:aadress_tanav_maja_korter/>
<ns1:algus_kpv>2017-01-11Z</ns1:algus_kpv>
</ns1:item>
</ns1:kaardile_kantud_isikud>
<ns1:esindusoiguse_normaalregulatsioonid/>
<ns1:esindusoiguse_eritingimused/>
<ns1:osapandid_tingimuslikud_voorandamised/>
<ns1:kaardivalised_isikud/>
<ns1:hooneyhistu_liikmed/>
</ns1:isikuandmed>
<ns1:registrikaardid>
<ns1:item>
  <ns1:kaardi_piirkond>5</ns1:kaardi_piirkond>
  <ns1:kaardi_nr>1</ns1:kaardi_nr>
  <ns1:kaardi_tyyp>G</ns1:kaardi_tyyp>
  <ns1:kanded>
    <ns1:item>
      <ns1:kande_nr>1</ns1:kande_nr>
      <ns1:kande_kpv>1998-09-23Z</ns1:kande_kpv>
      <ns1:kandeliik>2</ns1:kandeliik>
      <ns1:kandeliik_tekstina>Esmakanne</ns1:kandeliik_tekstina>
    </ns1:item>
    <ns1:item>
      <ns1:kande_nr>2</ns1:kande_nr>
      <ns1:kande_kpv>2017-01-11Z</ns1:kande_kpv>
      <ns1:kandeliik>12</ns1:kandeliik>
      <ns1:kandeliik_tekstina>Muutmiskanne</ns1:kandeliik_tekstina>
    </ns1:item>
    <ns1:item>
      <ns1:kande_nr>3</ns1:kande_nr>
      <ns1:kande_kpv>2017-12-13Z</ns1:kande_kpv>
      <ns1:kandeliik>12</ns1:kandeliik>
      <ns1:kandeliik_tekstina>Muutmiskanne</ns1:kandeliik_tekstina>
    </ns1:item>
  </ns1:kanded>
</ns1:item>
```



```
</ns1:kanded>  
</ns1:item>  
</ns1:registrikaardid>  
</ns1:item>  
</ns1:ettevotjad>  
<ns1:leitud_ettevotjate_arv>1</ns1:leitud_ettevotjate_arv>  
</ns1:keha>  
</ns1:detailandmed_v2Response>  
</SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```

- Query for a list of documents related to the company (links to the respective documents)
(valid as of 1 May 2017)

Query name: arireg.ettevotjaDokumentideLoetelu_v1

Explanation: List of documents related to the company

Note: Using the query is free of charge. Presently, articles of association are available in the PDF format and annual reports are available in the PDF format, and if files exist, in the XBRL and DDOC/BDOC formats.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_ettevotjaDokumentideLoetelu_v1.xsd

Input parameters / search variables:

| Name | Meaning | Notes |
|--------------------------|-------------------------------|------------------|
| ariregister_kasutajanimi | e-Business register user name | |
| ariregister_parool | e-Business register password | |
| ariregistri_kood | Registry code of the company | |
| kuupaev | Date | |
| aruandeaasta | Accounting year | |
| dokumendi_liik | Document type | |
| dokumendi_kehtivus | Document validity | |
| keel | Language of classifiers | Value est or eng |

Output data:

- Document ID
- Business registry code
- Document type (A – annual reports in PDF, D – annual reports in BDOC, DDOC, X – annual reports in XBRL, P – articles of association)
- Document name
- Document size in bytes
- Status date
- Validity (K – valid, A – expired)
- Report type (P – final report, L – balance sheet prepared upon liquidation, V – interim report / balance sheet, A – annual report)
- Accounting year
- URL

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:ettevotjaDokumentideLoetelu_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
        <prod:ariregistri_kood>70000310</prod:ariregistri_kood>
      </prod:keha>
    </prod:ettevotjaDokumentideLoetelu_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:ettevotjaDokumentideLoetelu_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>parool</ns1:ariregister_parool>
        <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
      </ns1:paring>
      <ns1:keha>
        <ns1:ettevotja_dokumentid>
          <ns1:dokumendi_id>52225</ns1:dokumendi_id>
          <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
          <ns1:dokumendi_liik>A</ns1:dokumendi_liik>
          <ns1:dokumendi_nimetus>Majandusaasta aruanne PDF</ns1:dokumendi_nimetus>
          <ns1:dokumendi_suurus>797593</ns1:dokumendi_suurus>
          <ns1:dokumendi_seisu_kuupaev>2015-07-01Z</ns1:dokumendi_seisu_kuupaev>
          <ns1:dokumendi_kehtivus>K</ns1:dokumendi_kehtivus>
        </ns1:ettevotja_dokumentid>
      </ns1:keha>
    </ns1:ettevotjaDokumentideLoetelu_v1Response>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
<ns1:aruande_liik>A</ns1:aruande_liik>
<ns1:aruandeaasta>2014</ns1:aruandeaasta>
<ns1:dokumendi_url>https://ariregister.rik.ee/ettevotja.py?id=2000005684&show=9&item\_id=5:83494</ns1:dokumendi_url>
</ns1:ettevotja_dokumendid>
<ns1:ettevotja_dokumendid>
  <ns1:dokumendi_id>3002540448</ns1:dokumendi_id>
  <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
  <ns1:dokumendi_liik>P</ns1:dokumendi_liik>
  <ns1:dokumendi_nimetus>Põhikiri</ns1:dokumendi_nimetus>
  <ns1:dokumendi_suurus>18995</ns1:dokumendi_suurus>
  <ns1:dokumendi_seisu_kuupaev>2011-04-03Z</ns1:dokumendi_seisu_kuupaev>
  <ns1:dokumendi_kehtivus>K</ns1:dokumendi_kehtivus>
  <ns1:aruande_liik/>
  <ns1:dokumendi_url>https://ariregister.rik.ee/ettevotja.py?id=2000005684&show=10&item\_id=4:184349</ns1:dokumendi_url>
</ns1:ettevotja_dokumendid>
</ns1:keha>
</ns1:ettevotjaDokumentideLoetelu_v1Response>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

4. Company annual reports list query
(valid as of 1 May 2017)

Query name: arireg.majandusaastaAruanneteLoetelu_v1

Note: Using the query is free of charge. Issues the information of the annual reports that are transferred to structures.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_majandusaastaAruanneteLoetelu_v1.xsd

Input parameters / search variables:

| Name | Meaning | Notes |
|--------------------------|-------------------------------|-------|
| ariregister_kasutajanimi | e-Business register user name | |
| ariregister_parool | e-Business register password | |
| ariregistri_kood | Registry code of the company | |

Output data:

- Report code
- Report name
- Report year
- Beginning and end of the financial year

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:majandusaastaAruanneteLoetelu_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>Kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>Parool</prod:ariregister_parool>
        <prod:ariregistri_kood>70000310</prod:ariregistri_kood>
      </prod:keha>
    </prod:majandusaastaAruanneteLoetelu_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:majandusaastaAruanneteLoetelu_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>Kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>Parool</ns1:ariregister_parool>
        <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
      </ns1:paring>
      <ns1:keha>
        <ns1:majandusaasta_aruanded>
          <ns1:aruande_kood>14</ns1:aruande_kood>
          <ns1:aruande_nimetus>Bilanss</ns1:aruande_nimetus>
          <ns1:aruande_aasta>2017</ns1:aruande_aasta>
          <ns1:majandusaasta_algus>2017-01-01Z</ns1:majandusaasta_algus>
          <ns1:majandusaasta_lopp>2017-12-31Z</ns1:majandusaasta_lopp>
        </ns1:majandusaasta_aruanded>
        <ns1:majandusaasta_aruanded>
          <ns1:aruande_kood>18</ns1:aruande_kood>
          <ns1:aruande_nimetus>Rahavoogude aruanne (kaudne meetod)</ns1:aruande_nimetus>
          <ns1:aruande_aasta>2017</ns1:aruande_aasta>
          <ns1:majandusaasta_algus>2017-01-01Z</ns1:majandusaasta_algus>
          <ns1:majandusaasta_lopp>2017-12-31Z</ns1:majandusaasta_lopp>
        </ns1:majandusaasta_aruanded>
        <ns1:majandusaasta_aruanded>
          <ns1:aruande_kood>35</ns1:aruande_kood>
          <ns1:aruande_nimetus>Kasumiaruanne skeem 1</ns1:aruande_nimetus>
          <ns1:aruande_aasta>2017</ns1:aruande_aasta>
          <ns1:majandusaasta_algus>2017-01-01Z</ns1:majandusaasta_algus>
          <ns1:majandusaasta_lopp>2017-12-31Z</ns1:majandusaasta_lopp>
        </ns1:majandusaasta_aruanded>
      </ns1:keha>
    </ns1:majandusaastaAruanneteLoetelu_v1Response>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
<ns1:majandusaasta_aruanded>  
  <ns1:aruande_kood>14</ns1:aruande_kood>  
  <ns1:aruande_nimetus>Bilanss</ns1:aruande_nimetus>  
  <ns1:aruande_aasta>2016</ns1:aruande_aasta>  
  <ns1:majandusaasta_algus>2016-01-01Z</ns1:majandusaasta_algus>  
  <ns1:majandusaasta_lopp>2016-12-31Z</ns1:majandusaasta_lopp>  
</ns1:majandusaasta_aruanded>  
</ns1:keha>  
</ns1:majandusaastaAruanneteLoetelu_v1Response>  
</SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```

5. Company annual report query
(valid as of 1 May 2017)

Query name: : arireg.majandusaastaAruanneteKirjed_v1

Price: €2

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_majandusaastaAruanneteKirjed_v1.xsd

Input parameters / search variables:

| Name | Meaning | Notes |
|--------------------------|---|--|
| ariregister_kasutajanimi | e-Business register user name | |
| ariregister_parool | e-Business register password | |
| ariregistri_kood | Registry code of the company | |
| aruande_liik | Report type: 01 – balance sheet 02 – income statement layout 1 03 – income statement layout 2 04 – cash-flow statement 05 – movement of fixed assets layout 1 06 – movement of fixed assets layout 2 07 – statement of gains and losses 08 – balance sheet (2003–2004) 09 – income statement layout 1 (as of 2003) 10 – income statement layout 2 (as of 2003) 11 – statement of gains and losses (as of 2003) 12 – balance sheet (as of 2005) 13 – cash-flow statement (as of 2005) 14 – balance sheet (as of 2009 in use if reports are submitted in XBRL) 15 – income statement layout 1 16 – Income statement layout 2 17 – total net gain statement 18 – cash-flow statement (indirect method) | Statement columns: 01 – balance sheet 08 – balance sheet 12 – balance sheet: 14 – balance sheet: A1 – at the end of financial year A2 – at the beginning of financial year 02 – income statement layout 1 09 – income statement layout 1 15 – income statement layout 1 A1 – in financial year of the report A2 – in previous financial year 03 – income statement layout 2 10 – income statement layout 2 16 – income statement layout 2 A1 – in financial year of the report A2 – in previous financial year 04 – cash-flow statement A1 – change within a year 05 – movement of fixed assets layout 1 A1 – land |

| | | |
|--------------|--|---|
| | <p>19 – cash-flow statement (direct method)</p> <p>20 – balance sheet prepared upon liquidation</p> <p>21 – interim balance sheet prepared upon liquidation</p> <p>22 – unconsolidated balance sheet</p> <p>23 – income statement for the financial service provider</p> <p>24 – income statement prepared before liquidation layout 1</p> <p>25 – income statement prepared before liquidation layout 2</p> <p>26 – income statement prepared before liquidation for the financial service provider</p> <p>27 – statement of gains and losses prepared upon liquidation</p> <p>28 – unconsolidated income statement layout 1</p> <p>29 – unconsolidated income statement layout 2</p> <p>30 – unconsolidated income statement for the financial service provider</p> <p>31 – cash-flow statement prepared upon liquidation</p> <p>32 – unconsolidated cash-flow statement (indirect)</p> <p>33 – unconsolidated cash-flow statement (direct)</p> <p>34 – total net gain statement prepared before liquidation</p> | <p>A2 – buildings</p> <p>A3 – equipment and machinery</p> <p>A4 – other inventory</p> <p>A5 – accumulated depreciation</p> <p>A6 – unfinished construction</p> <p>A7 – prepayments</p> <p>A8 – in total</p> <p>06 – movement of fixed assets layout 2</p> <p>A1 – by the beginning of the year</p> <p>A2 – income purchase</p> <p>A3 – income reconstruction</p> <p>A4 – expense sales</p> <p>A5 – expense amortised write-off</p> <p>A6 – by the end of the year (in acquisition cost)</p> <p>A7 – accumulated depreciation by the end of the year</p> <p>A8 – by the end of the year (residual value)</p> <p>07 – statement of gains and losses</p> <p>11 – statement of gains and losses</p> <p>17 – total net gain statement</p> <p>A1 – at the end of financial year</p> <p>A2 – at the beginning of financial year</p> <p>13 – cash-flow statement</p> <p>18 – cash-flow statement (indirect method)</p> <p>19 – cash-flow statement (direct method)</p> <p>A1 – in the financial year of the report</p> <p>A2 – in the previous financial year</p> |
| aruandeaasta | Financial year | |
| keel | language | Value est or eng |

Output data:

- Report type
- Report name
- Beginning and end of the financial year
- Number, name and column of the requested line in the report
- Code, name and value of the requested line in the report

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:majandusaastaAruanneteKirjed_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
        <prod:ariregistri_kood>70000310</prod:ariregistri_kood>
        <prod:aruande_liik>35</prod:aruande_liik>
        <prod:aruandeaasta>2014</prod:aruandeaasta>
      </prod:keha>
    </prod:majandusaastaAruanneteKirjed_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:majandusaastaAruanneteKirjed_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
```

```
<ns1:ariregister_parool>parool</ns1:ariregister_parool>
<ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
<ns1:aruande_liik>35</ns1:aruande_liik>
<ns1:aruandeaasta>2014</ns1:aruandeaasta>
</ns1:paring>
<ns1:keha>
  <ns1:aruande_liik>35</ns1:aruande_liik>
  <ns1:aruande_nimetus>Kasumiaruanne skeem 1</ns1:aruande_nimetus>
  <ns1:majandusaasta_algus>2014-01-01Z</ns1:majandusaasta_algus>
  <ns1:majandusaasta_lopp>2014-12-31Z</ns1:majandusaasta_lopp>
  <ns1:majandusaasta_aruanded_read>
    <ns1:rea_nr>211</ns1:rea_nr>
    <ns1:rea_nimetus>Kasum (kahjum) tütar- ja sidusettevõtjatelt</ns1:rea_nimetus>
    <ns1:majandusaasta_aruanded_veerud>
      <ns1:veeru_kood>A1</ns1:veeru_kood>
      <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
      <ns1:vaartus>440</ns1:vaartus>
    </ns1:majandusaasta_aruanded_veerud>
    <ns1:majandusaasta_aruanded_veerud>
      <ns1:veeru_kood>A2</ns1:veeru_kood>
      <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
      <ns1:vaartus>50</ns1:vaartus>
    </ns1:majandusaasta_aruanded_veerud>
  </ns1:majandusaasta_aruanded_read>
  <ns1:majandusaasta_aruanded_read>
    <ns1:rea_nr>212</ns1:rea_nr>
    <ns1:rea_nimetus>Kasum (kahjum) finantsinvesteeringutelt</ns1:rea_nimetus>
    <ns1:majandusaasta_aruanded_veerud>
      <ns1:veeru_kood>A1</ns1:veeru_kood>
      <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
      <ns1:vaartus>60</ns1:vaartus>
    </ns1:majandusaasta_aruanded_veerud>
    <ns1:majandusaasta_aruanded_veerud>
      <ns1:veeru_kood>A2</ns1:veeru_kood>
      <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
      <ns1:vaartus>0</ns1:vaartus>
```

```
</ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>10</ns1:rea_nr>
  <ns1:rea_nimetus>MÜÜGITULU</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>5534707</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>43555</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>20</ns1:rea_nr>
  <ns1:rea_nimetus>Valmis- ja lõpetamata toodangu varude jääkide muutus</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>40</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>30</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>30</ns1:rea_nr>
  <ns1:rea_nimetus>Kapitaliseeritud väljaminekud oma tarbeks põhivara valmistamisel</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
```

```
<ns1:vaartus>30</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
<ns1:majandusaasta_aruanded_veerud>
  <ns1:veeru_kood>A2</ns1:veeru_kood>
  <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
  <ns1:vaartus>0</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>40</ns1:rea_nr>
  <ns1:rea_nimetus>Muud äritulud</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>5551</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>144582</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>50</ns1:rea_nr>
  <ns1:rea_nimetus>Põllumajandusliku toodangu varude jääkide muutus</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>0</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>0</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
```

```
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>191</ns1:rea_nr>
  <ns1:rea_nimetus>Finantstulud ja -kulud tütarettevõtjate aktsiatelt ja osadelt</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>60</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>770</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>192</ns1:rea_nr>
  <ns1:rea_nimetus>Finantstulud ja -kulud sidusettevõtjate aktsiatelt ja osadelt</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>80</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>0</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>205</ns1:rea_nr>
  <ns1:rea_nimetus>Intressikulud</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>6780</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
```

```
<ns1:majandusaasta_aruanded_veerud>
  <ns1:veeru_kood>A2</ns1:veeru_kood>
  <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
  <ns1:vaartus>67860</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>196</ns1:rea_nr>
  <ns1:rea_nimetus>Muud finantstulud ja -kulud</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>678678</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>6786</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>230</ns1:rea_nr>
  <ns1:rea_nimetus>KASUM(KAHJUM) ENNE MAKSUSTAMIST</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>678788</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>7868</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>240</ns1:rea_nr>
```

```
<ns1:rea_nimetus>Tulumaks</ns1:rea_nimetus>
<ns1:majandusaasta_aruanded_veerud>
  <ns1:veeru_kood>A1</ns1:veeru_kood>
  <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
  <ns1:vaartus>7870</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
<ns1:majandusaasta_aruanded_veerud>
  <ns1:veeru_kood>A2</ns1:veeru_kood>
  <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
  <ns1:vaartus>870</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>250</ns1:rea_nr>
  <ns1:rea_nimetus>ARUANDEAASTA PUHASKASUM(-KAHJUM)</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>666518</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>86772</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>251</ns1:rea_nr>
  <ns1:rea_nimetus>Tulu varade sihtfinantseerimisest</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>670</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
<ns1:majandusaasta_aruanded_veerud>
  <ns1:veeru_kood>A2</ns1:veeru_kood>
```



```
<ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
<ns1:vaartus>88760</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
<ns1:rea_nr>252</ns1:rea_nr>
<ns1:rea_nimetus>Sihtfinantseerimisega kaetud varade kulum ja väärtuse langus</ns1:rea_nimetus>
<ns1:majandusaasta_aruanded_veerud>
<ns1:veeru_kood>A1</ns1:veeru_kood>
<ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
<ns1:vaartus>67860</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
<ns1:majandusaasta_aruanded_veerud>
<ns1:veeru_kood>A2</ns1:veeru_kood>
<ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
<ns1:vaartus>680</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
<ns1:rea_nr>253</ns1:rea_nr>
<ns1:rea_nimetus>Aruandeaasta kasum (kahjum) sihtfinantseerimise netomeetodi korral</ns1:rea_nimetus>
<ns1:majandusaasta_aruanded_veerud>
<ns1:veeru_kood>A1</ns1:veeru_kood>
<ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
<ns1:vaartus>708</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
<ns1:majandusaasta_aruanded_veerud>
<ns1:veeru_kood>A2</ns1:veeru_kood>
<ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
<ns1:vaartus>304</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
<ns1:rea_nr>440</ns1:rea_nr>
<ns1:rea_nimetus>Mitmesugused tegevuskulud</ns1:rea_nimetus>
<ns1:majandusaasta_aruanded_veerud>
```

```
<ns1:veeru_kood>A1</ns1:veeru_kood>
<ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
<ns1:vaartus>-449473</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
<ns1:majandusaasta_aruanded_veerud>
  <ns1:veeru_kood>A2</ns1:veeru_kood>
  <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
  <ns1:vaartus>4504955</ns1:vaartus>
</ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>146</ns1:rea_nr>
  <ns1:rea_nimetus>Olulised käibevara allahindlused</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>0</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>30</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
</ns1:majandusaasta_aruanded_read>
<ns1:majandusaasta_aruanded_read>
  <ns1:rea_nr>197</ns1:rea_nr>
  <ns1:rea_nimetus>Intressitulud</ns1:rea_nimetus>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A1</ns1:veeru_kood>
    <ns1:veeru_nimetus>Aruande majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>20</ns1:vaartus>
  </ns1:majandusaasta_aruanded_veerud>
  <ns1:majandusaasta_aruanded_veerud>
    <ns1:veeru_kood>A2</ns1:veeru_kood>
    <ns1:veeru_nimetus>Eelmisel majandusaastal</ns1:veeru_nimetus>
    <ns1:vaartus>10</ns1:vaartus>
```

```
</ns1:majandusaasta_aruanded_veerud>  
</ns1:majandusaasta_aruanded_read>  
</ns1:keha>  
</ns1:majandusaastaAruanneteKirjed_v1Response>  
</SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```

**6. Classifiers used in web services
(valid as of 1 May 2017)**

Query name: arireg.klassifikaatorid_v1

Note: Using the query is free of charge.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_klassifikaatorid_v1.xsd

Input parameters / search variables:

| Name | Meaning | Notes |
|--------------------------|--|---|
| ariregister_kasutajanimi | e-Business register user name | |
| ariregister_parool | e-Business register password | |
| klassifikaator | Classifier: ALALIIGID – company subtypes ESINDTYYBID – types of right of representation EVSTAATMUUT – types of changes in company status EVSTAATUSED – company statuses ISIKROLLID – roles of persons MAJARULIIGID – types of annual reports OIGVORMID – legal forms PANDIOLEKUD – commercial pledge statuses REGPIIRK – register areas RIIGID - countries SIDEVAH – types of means of communication SUNDLALAJAOT – compulsory dissolution sections SUNDLALUSED – reasons for compulsory dissolution VALUUTAD - currencies | If a classifier is not entered as a query variable, values of all classifiers are returned. |
| Keel | Language | Value est or eng |

Output data:

- Classifier code
- Classifier name
- Classifier value

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:klassifikaatorid_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
        <prod:klassifikaator>SIDEVAH</prod:klassifikaator>
      </prod:keha>
    </prod:klassifikaatorid_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:klassifikaatorid_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>parool</ns1:ariregister_parool>
        <ns1:klassifikaator>SIDEVAH</ns1:klassifikaator>
      </ns1:paring>
      <ns1:keha>
        <ns1:klassifikaator>
          <ns1:klassifikaatori_kood>SIDEVAH</ns1:klassifikaatori_kood>
          <ns1:klassifikaatori_nimetus>Sidevahendi liigid</ns1:klassifikaatori_nimetus>
          <ns1:klassifikaatori_vaartused>
            <ns1:klassifikaatori_vaartus>
              <ns1:klassifikaatori_vaartuse_kood>TEL</ns1:klassifikaatori_vaartuse_kood>
              <ns1:klassifikaatori_vaartuse_nimetus>Telefon</ns1:klassifikaatori_vaartuse_nimetus>
              <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
            </ns1:klassifikaatori_vaartus>
          </ns1:klassifikaatori_vaartused>
        </ns1:klassifikaator>
      </ns1:keha>
    </ns1:klassifikaatorid_v1Response>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
</ns1:klassifikaatori_vaartus>
<ns1:klassifikaatori_vaartus>
  <ns1:klassifikaatori_vaartuse_kood>EMAIL</ns1:klassifikaatori_vaartuse_kood>
  <ns1:klassifikaatori_vaartuse_nimetus>Elektronposti aadress</ns1:klassifikaatori_vaartuse_nimetus>
  <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
</ns1:klassifikaatori_vaartus>
<ns1:klassifikaatori_vaartus>
  <ns1:klassifikaatori_vaartuse_kood>AMAIL</ns1:klassifikaatori_vaartuse_kood>
  <ns1:klassifikaatori_vaartuse_nimetus>Ametlik Eesti e-mail</ns1:klassifikaatori_vaartuse_nimetus>
  <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
</ns1:klassifikaatori_vaartus>
<ns1:klassifikaatori_vaartus>
  <ns1:klassifikaatori_vaartuse_kood>FAX</ns1:klassifikaatori_vaartuse_kood>
  <ns1:klassifikaatori_vaartuse_nimetus>Faks</ns1:klassifikaatori_vaartuse_nimetus>
  <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
</ns1:klassifikaatori_vaartus>
<ns1:klassifikaatori_vaartus>
  <ns1:klassifikaatori_vaartuse_kood>MOB</ns1:klassifikaatori_vaartuse_kood>
  <ns1:klassifikaatori_vaartuse_nimetus>Mobiiltelefon</ns1:klassifikaatori_vaartuse_nimetus>
  <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
</ns1:klassifikaatori_vaartus>
<ns1:klassifikaatori_vaartus>
  <ns1:klassifikaatori_vaartuse_kood>MOD</ns1:klassifikaatori_vaartuse_kood>
  <ns1:klassifikaatori_vaartuse_nimetus>Modem</ns1:klassifikaatori_vaartuse_nimetus>
  <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
</ns1:klassifikaatori_vaartus>
<ns1:klassifikaatori_vaartus>
  <ns1:klassifikaatori_vaartuse_kood>TELEX</ns1:klassifikaatori_vaartuse_kood>
  <ns1:klassifikaatori_vaartuse_nimetus>Teleks</ns1:klassifikaatori_vaartuse_nimetus>
  <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
</ns1:klassifikaatori_vaartus>
<ns1:klassifikaatori_vaartus>
  <ns1:klassifikaatori_vaartuse_kood>MUU</ns1:klassifikaatori_vaartuse_kood>
  <ns1:klassifikaatori_vaartuse_nimetus>Muu sidevahend</ns1:klassifikaatori_vaartuse_nimetus>
  <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
</ns1:klassifikaatori_vaartus>
```

```
<ns1:klassifikaatori_vaartus>
  <ns1:klassifikaatori_vaartuse_kood>WWW</ns1:klassifikaatori_vaartuse_kood>
  <ns1:klassifikaatori_vaartuse_nimetus>Interneti WWW aadress</ns1:klassifikaatori_vaartuse_nimetus>
  <ns1:klassifikaatori_vaartuse_algus_kpv>2000-01-01Z</ns1:klassifikaatori_vaartuse_algus_kpv>
</ns1:klassifikaatori_vaartus>
</ns1:klassifikaatori_vaartused>
</ns1:klassifikaator>
</ns1:keha>
</ns1:klassifikaatorid_v1Response>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

7. Rights of representation of all persons related to the company
(valid as of 1 May 2017)

Query name: arireg.esindus_v1

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_esindus_v1.xsd

Price: €0.51 + VAT

Input parameters / search variables:

| Name | Meaning | Notes |
|-----------------------------|---|---|
| ariregister_kasutajanimi | e-Business register user name | |
| ariregister_parool | e-Business register password | |
| ariregister_sessioon | Business register session | |
| ariregister_valjundi_format | Output format | json or xml. Default: xml. |
| ariregistri_kood | Registry code of the company | |
| fyysilise_isiku_kood | Estonian or foreign personal identification code of a natural person | When input parameter is identification code the country of identification code must also be filled (ISO 3166-1 alpha-3) for example "EST" |
| Fyysilise_isiku_koodi_riik | Country of Estonian or foreign personal identification code of a natural person | |
| fyysilise_isiku_eesnimi | First name | |
| fyysilise_isiku_perenimi | Last name | |
| keel | Language | Value est or eng |

Output parameters:

- Business name
- Registry code of the company
- Status
- Personal identification code
- Country of the identification code
- Country of the identification code (text)
- Date of birth

Lubja 4, 19081

Tallinn, Estonia

Phone +372 683 7551

Fax +372 646 0165

Reg. No. 70000310

rik@rik.ee

www.rik.ee

- Forename
- Lastname
- Role
- Exclusive right of representation
- Exceptions in right of representation
- Legal form

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Header/>
  <soapenv:Body>
    <prod:esindus_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
        <prod:ariregistri_kood>70000310</prod:ariregistri_kood>
      </prod:keha>
    </prod:esindus_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:esindus_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>parool</ns1:ariregister_parool>
        <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
      </ns1:paring>
    <ns1:keha>
```

```
<ns1:ettevotjad>
  <ns1:item>
    <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
    <ns1:arinimi>Registrite ja Infosüsteemide Keskus</ns1:arinimi>
    <ns1:staatus>R</ns1:staatus>
    <ns1:staatus_tekstina>Registrisse kantud</ns1:staatus_tekstina>
    <ns1:isikud>
      <ns1:item>
        <ns1:fyysilise_isiku_eesnimi>Mehis</ns1:fyysilise_isiku_eesnimi>
        <ns1:fyysilise_isiku_perenimi>Sihvart</ns1:fyysilise_isiku_perenimi>
        <ns1:fyysilise_isiku_kood>37702014914</ns1:fyysilise_isiku_kood>
        <ns1:isikukood_riik>EST</ns1:isikukood_riik>
        <ns1:isikukoodi_riik_tekstina>Eesti</ns1:isikukoodi_riik_tekstina>
        <ns1:fyysilise_isiku_roll>ASES</ns1:fyysilise_isiku_roll>
        <ns1:fyysilise_isiku_roll_tekstina>Asutuse esindusõiguslik isik</ns1:fyysilise_isiku_roll_tekstina>
        <ns1:ainuesindusoigus_olemas>JAH</ns1:ainuesindusoigus_olemas>
      </ns1:item>
      <ns1:item>
        <ns1:fyysilise_isiku_perenimi>Justiitsministeerium</ns1:fyysilise_isiku_perenimi>
        <ns1:fyysilise_isiku_kood>70000898</ns1:fyysilise_isiku_kood>
        <ns1:isikukood_riik>XXX</ns1:isikukood_riik>
        <ns1:isikukoodi_riik_tekstina>Määramata</ns1:isikukoodi_riik_tekstina>
        <ns1:fyysilise_isiku_roll>KOAS</ns1:fyysilise_isiku_roll>
        <ns1:fyysilise_isiku_roll_tekstina>Kõrgemalseisev asutus</ns1:fyysilise_isiku_roll_tekstina>
        <ns1:ainuesindusoigus_olemas>EI</ns1:ainuesindusoigus_olemas>
      </ns1:item>
    </ns1:isikud>
    <ns1:esindusoiguse_eritingimused/>
    <ns1:oiguslik_vorm>TRAS</ns1:oiguslik_vorm>
    <ns1:oiguslik_vorm_tekstina>Täidesaatva riigivõimu asutus või riigi muu institutsioon</ns1:oiguslik_vorm_tekstina>
  </ns1:item>
</ns1:ettevotjad>
</ns1:keha>
</ns1:esindus_v1Response>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

**8. Company data change list query (Query for changes across 15 days)
(valid as of 1 May 2017)**

Query name: arireg.ettevotjaMuudatusedTasuline_v1

Additional information: The query produces a list of companies, the data of which were changed within the input period. The maximum search period is 1 day. Elements with a value of 'Y' or 'N' mean 'Yes' or 'No'. For example, if the output includes <sidevahendid>N</sidevahendid>, it means that the data of the company's means of communication did not change within the searched period. Value 'A' means that only the information source or source date (check date) has changed. It is possible to make the query if the date of changes has been passed at least 15 days.

In July 2010, the query was supplemented to distinguish whether capital was converted into euros or not.

- 1) If the entry only included the conversion of capital into euros, i.e. only entry parts capital and articles of association were changed.
 - kandeliik = 101
 - kandeliik_tekst = change entry related to conversion to euro
- 2) If the entry included other entry parts changes in addition to the conversion of capital into euros
 - kandeliik = 102
 - kandeliik_tekst = change entry, including the conversion to euro

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_ettevotjaMuudatusedTasuline_v1.xsd

Price: monthly fee of €639.12 + VAT

Input parameters / search variables

| Name | Meaning | Notes |
|---------------------------|---|--|
| ariregisteri_kasutajanimi | e-Business register user name | Required parameter |
| ariregistri_parool | e-Business register password | Required parameter |
| kuupaev | Date of making changes (should be at least 15 days ago) | Required parameter (format dd.mm.yyyy) |

Output parameters:

- A list of companies, the data of which have been changed within the period
- Registry code of the company
- Business name of the company
- Legal form of the company

- In which data group did the change occur:
 - Persons outside the entry
 - Means of communication
 - Fields of activity
- Entries made within the period
 - Registry card area on which the change was made
 - Change on which card (A, B, MTÜ, SA or commercial pledge card)
 - Number of the registry card on which the change was made
 - Entry number on the registry card
 - Entry type as classifier
 - Entry type in words
 - Which data on the card were changed (either personnel or general data)

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:ettevotjaMuudatusedTasuline_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
        <prod:kuupaev>2018-06-07</prod:kuupaev>
      </prod:keha>
    </prod:ettevotjaMuudatusedTasuline_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:ettevotjaMuudatusedTasuline_v1Response>
      <ns1:paring>
```

```
<ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
<ns1:ariregister_parool>parool</ns1:ariregister_parool>
<ns1:kuupaev>2018-06-07Z</ns1:kuupaev>
</ns1:paring>
<ns1:keha>
  <ns1:ettevotja_muudatused>
    <ns1:ariregistri_kood>12593347</ns1:ariregistri_kood>
    <ns1:arinimi>SPINT OÜ</ns1:arinimi>
    <ns1:oiguslik_vorm>OÜ</ns1:oiguslik_vorm>
    <ns1:kandevalised_isikud>N</ns1:kandevalised_isikud>
    <ns1:kandevalised_sidevahendid>N</ns1:kandevalised_sidevahendid>
    <ns1:kandevalised_tegevusalad>N</ns1:kandevalised_tegevusalad>
    <ns1:kanded>
      <ns1:registrikaardi_piirkond>5</ns1:registrikaardi_piirkond>
      <ns1:registrikaardi_tyyp>R</ns1:registrikaardi_tyyp>
      <ns1:registrikaardi_nr>1</ns1:registrikaardi_nr>
      <ns1:kande_nr>3</ns1:kande_nr>
      <ns1:kande_kuupaev>2018-06-07Z</ns1:kande_kuupaev>
      <ns1:kande_liik>12</ns1:kande_liik>
      <ns1:kande_liik_tekst>Muutmiskanne</ns1:kande_liik_tekst>
      <ns1:isikuandmed>Y</ns1:isikuandmed>
    </ns1:kanded>
  </ns1:ettevotja_muudatused>
</ns1:ettevotja_muudatused>
  <ns1:ariregistri_kood>12593376</ns1:ariregistri_kood>
  <ns1:arinimi>Katrin & Tiina UÜ</ns1:arinimi>
  <ns1:oiguslik_vorm>UÜ</ns1:oiguslik_vorm>
  <ns1:kandevalised_isikud>N</ns1:kandevalised_isikud>
  <ns1:kandevalised_sidevahendid>N</ns1:kandevalised_sidevahendid>
  <ns1:kandevalised_tegevusalad>N</ns1:kandevalised_tegevusalad>
  <ns1:kanded>
    <ns1:registrikaardi_piirkond>5</ns1:registrikaardi_piirkond>
    <ns1:registrikaardi_tyyp>R</ns1:registrikaardi_tyyp>
    <ns1:registrikaardi_nr>1</ns1:registrikaardi_nr>
    <ns1:kande_nr>3</ns1:kande_nr>
    <ns1:kande_kuupaev>2018-06-07Z</ns1:kande_kuupaev>
```

```
<ns1:kande_liik>12</ns1:kande_liik>
<ns1:kande_liik_tekst>Muutmiskanne</ns1:kande_liik_tekst>
<ns1:isikuandmed>Y</ns1:isikuandmed>
</ns1:kanded>
</ns1:ettevotja_muudatused>
<ns1:ettevotja_muudatused>
<ns1:ariregistri_kood>80365253</ns1:ariregistri_kood>
<ns1:arinimi>MTÜ Tapupera</ns1:arinimi>
<ns1:oiguslik_vorm>MTÜ</ns1:oiguslik_vorm>
<ns1:kandevalised_isikud>N</ns1:kandevalised_isikud>
<ns1:kandevalised_sidevahendid>N</ns1:kandevalised_sidevahendid>
<ns1:kandevalised_tegevusalad>N</ns1:kandevalised_tegevusalad>
<ns1:kanded>
<ns1:registrikaardi_piirkond>5</ns1:registrikaardi_piirkond>
<ns1:registrikaardi_tyyp>MTÜ</ns1:registrikaardi_tyyp>
<ns1:registrikaardi_nr>1</ns1:registrikaardi_nr>
<ns1:kande_nr>3</ns1:kande_nr>
<ns1:kande_kuupaev>2018-06-07Z</ns1:kande_kuupaev>
<ns1:kande_liik>12</ns1:kande_liik>
<ns1:kande_liik_tekst>Muutmiskanne</ns1:kande_liik_tekst>
<ns1:isikuandmed>Y</ns1:isikuandmed>
</ns1:kanded>
</ns1:ettevotja_muudatused>
<ns1:tulemuste_arv>3</ns1:tulemuste_arv>
</ns1:keha>
</ns1:ettevotjaMuudatusedTasuline_v1Response>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

**9. Company requisite information service
(valid as of 1 May 2017)**

Query name: arireg.ettevotjaRekvisiidid_v1

Additional information: The query provides the business name, registry code, address and VAT number for paying invoices to the company.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_ettevotjaRekvisiidid_v1.xsd

Price: Free of charge

Input parameters / search variables

| Name | Meaning | Notes |
|------------------------------|---|--|
| äriregisteri_kasutajanimi | e-Business register user name | Required parameter |
| äriregistri_parool | e-Business register password | Required parameter |
| ariregister_valjundi_formaat | Business register output format | "json" or "xml". Default: xml. |
| nimi | Business name | |
| ariregistri_kood | Registry code of the company | |
| ettevotjate_arv_valjundis | Maximum number of results | |
| otsida_kehtetud_nimed | Search from former business names? | |
| naidata_aruandeid | Display unperformed duties of the company? | |
| keel | Language | Value est or eng |
| naidata_aruandeid | Information about annual accounts submitted | Value 1 or 0, i.e. yes or no. Default: 0 = no. |
| naidata_kustutatuid | Show information about deleted companies | Value 1 or 0, i.e. yes or no. Default: 0 = no. |

Output parameters:

- Business name of the company
- Registry code of the company
- VAT number
- Company status
- Company address
 - Address

- Estonian administrative division and settlement code (EHAK)
- EHAK in text form
- Address postal code
- Information on performance of duties (whether any annual reports about the last 3 years have not been submitted) (yes/no/no information)
- Business register information system link for the company

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Header/>
  <soapenv:Body>
    <prod:ettevotjaRekvisiidid_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
        <prod:ariregistri_kood>70000310</prod:ariregistri_kood>
      </prod:keha>
    </prod:ettevotjaRekvisiidid_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:ettevotjaRekvisiidid_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>parool</ns1:ariregister_parool>
        <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
      </ns1:paring>
      <ns1:keha>
        <ns1:ettevotjad>
```



```
<ns1:item>
  <ns1:nimi>Registrite ja Infosüsteemide Keskus</ns1:nimi>
  <ns1:ariregistri_kood>70000310</ns1:ariregistri_kood>
  <ns1:kmk_nr>EE100523377</ns1:kmk_nr>
  <ns1:ettevotja_staatus>R</ns1:ettevotja_staatus>
  <ns1:ettevotja_staatus_tekstina>Registrisse kantud</ns1:ettevotja_staatus_tekstina>
  <ns1:ettevotja_aadress>
    <ns1:asukoht_ettevotja_aadressis>Lõkke 4</ns1:asukoht_ettevotja_aadressis>
    <ns1:asukoha_ahak_kood>0784</ns1:asukoha_ahak_kood>
    <ns1:asukoha_ahak_tekstina>Tallinn</ns1:asukoha_ahak_tekstina>
    <ns1:indeks_ettevotja_aadressis>19081</ns1:indeks_ettevotja_aadressis>
  </ns1:ettevotja_aadress>
  <ns1:teabesysteemi_link>https://ariregister.rik.ee/ettevotja.py?ark=70000310&ref=rekvisiidid</ns1:teabesysteemi_link>
</ns1:item>
</ns1:ettevotjad>
<ns1:leitud_ettevotjate_arv>1</ns1:leitud_ettevotjate_arv>
</ns1:keha>
</ns1:ettevotjaRekvisiidid_v1Response>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

10. Company's requisite information file service
(valid as of 1 May 2017)

Query name: arireg.ettevotjaRekvisiididFail_v1

Additional information: The query produces the business name, registry code, address and VAT number for paying an invoice to a company. File is updated once a day.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_ettevotjaRekvisiididFail_v1.xsd

Price: Free of charge

Input parameters / search variables:

| Name | Meaning | Notes |
|---------------------------|-------------------------------|---------------------------------------|
| äriregisteri_kasutajanimi | e-Business register user name | Required parameter |
| äriregistri_parool | e-Business register password | Required parameter |
| faili_formaat | Output file format | "csv", "json" or "xml". Default: xml. |

Output parameters:

The file name contains the creation date of the file in the format "ettevotja_rekvisiidid_2014-10-08"

- Business name of the company
- Registry code of the company
- VAT number
- Company status
- Company status in text form
- Company address
 - Address
 - EHAK code
 - EHAK in text form
 - Address postal code
- Business register information system link for the company

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Header/>
  <soapenv:Body>
    <prod:ettevotjaRekvisiididFail_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
      </prod:keha>
    </prod:ettevotjaRekvisiididFail_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:ettevotjaRekvisiididFail_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>parool</ns1:ariregister_parool>
      </ns1:paring>
      <ns1:keha>
        <ns1:faili_loomise_kuupaev>2017-05-19Z</ns1:faili_loomise_kuupaev>
        <ns1:leitud_ettevotjate_arv>250474</ns1:leitud_ettevotjate_arv>
        <ns1:faili_nimi>ettevotja_rekvisiidid.zip</ns1:faili_nimi>
        <ns1:viide_manusele>cid:219b168e-e8c1-4b5d-9f53-61c87e29ed22</ns1:viide_manusele>
      </ns1:keha>
    </ns1:ettevotjaRekvisiididFail_v1Response>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

**11. Service of issuing the data of auditor's reports related to annual reports
(valid as of May 2017)**

Query name: arireg.aruandeAuditeerimiseAndmed_v1

Explanation: the data of auditor's reports on annual reports of businesses

Additional information: in use since May 2017. Issues data onwards from the financial year of 2015.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_aruandeAuditeerimiseAndmed_v1.xsd

Price: €0.31/per company + VAT

Input parameters / search variables:

| Name | Meaning | Notes |
|---------------------------------|---|---|
| ariregisteri_kasutajanimi | e-Business register user name | Required parameter |
| ariregistri_parool | e-Business register password | Required parameter |
| esitatud_algus esitatud_lõpp | Interval of submitted reports with the precision of the time of day | (required) The maximum interval permitted to be used as an interval: 1 week.. |
| ariregistri_kood | Full registry code of the company | |
| aruande_aasta | Year of annual report | |
| aev_ariregistri_kood | Full registry code of the auditing company | |
| lehekylg | Query response page, 1 by default | (1,000 report entries per page) |
| keel | Language | Value est or eng |

Output parameters:

- Registry code
 - Time of report submission (with the precision of the time of day)
 - Year of annual report
 - Start date of report
 - End date of report
 - Auditing identification: Compulsory/Voluntary NB! Shows as compulsory if at least an inspection is identified.
 - Block for data of company of auditors (business name, registry code, activity licence number) and block for data of sworn auditor (name, personal identification code, professional certificate number, date of signature)
- Number of pages

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:aruandeAuditeerimiseAndmed_v1>
      <prod:keha>
        <prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
        <prod:ariregister_parool>parool</prod:ariregister_parool>
        <prod:esitatud_algus>2017-05-11T18:18:30Z</prod:esitatud_algus>
        <prod:esitatud_lopp>2017-05-11T18:20:00Z</prod:esitatud_lopp>
        <!--<prod:ariregistri_kood>?</prod:ariregistri_kood>-->
        <prod:aruande_aasta>2016</prod:aruande_aasta>
        <!--<prod:aev_ariregistri_kood>?</prod:aev_ariregistri_kood>-->
        <prod:lehekylg>1</prod:lehekylg>
        <prod:keel>est</prod:keel>
      </prod:keha>
    </prod:aruandeAuditeerimiseAndmed_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:aruandeAuditeerimiseAndmed_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>
        <ns1:ariregister_parool>parool</ns1:ariregister_parool>
        <ns1:esitatud_algus>2017-05-11T21:18:30Z</ns1:esitatud_algus>
        <ns1:esitatud_lopp>2017-05-11T21:20:00Z</ns1:esitatud_lopp>
        <ns1:aruande_aasta>2016</ns1:aruande_aasta>
        <ns1:lehekylg>1</ns1:lehekylg>
        <ns1:keel>est</ns1:keel>
      </ns1:paring>
    </ns1:keha>
```

```
<ns1:kirjed>
  <ns1:item>
    <ns1:ariregistri_kood>90012366</ns1:ariregistri_kood>
    <ns1:esitamise_aeg>2017-05-11T18:18:45.003Z</ns1:esitamise_aeg>
    <ns1:aasta>2016</ns1:aasta>
    <ns1:aruande_aasta_algus>2016-01-01Z</ns1:aruande_aasta_algus>
    <ns1:aruande_aasta_lopp>2016-12-31Z</ns1:aruande_aasta_lopp>
    <ns1:kohustuslik_audit>true</ns1:kohustuslik_audit>
    <ns1:audiitorid>
      <ns1:item>
        <ns1:va_kood>43711090309</ns1:va_kood>
        <ns1:va_nimi>Maret Saatus</ns1:va_nimi>
        <ns1:va_kutsetunnistuse_nr>88</ns1:va_kutsetunnistuse_nr>
        <ns1:aev_kood>10621080</ns1:aev_kood>
        <ns1:aev_nimi>OÜ Maret Saatuse Audiitorbüroo</ns1:aev_nimi>
        <ns1:aev_loa_nr>93</ns1:aev_loa_nr>
        <ns1:audit_kpv>2017-04-13Z</ns1:audit_kpv>
      </ns1:item>
    </ns1:audiitorid>
  </ns1:item>
</ns1:kirjed>
<ns1:leitud_kirjete_arv>1</ns1:leitud_kirjete_arv>
</ns1:keha>
</ns1:aruandeAuditeerimiseAndmed_v1Response>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

12. Service of issuing the breakdown of revenue pursuant to the Classification of Economic Activities related to the annual report (valid as of May 2017)

Query name: arireg.aruandeMyygituluEMTAKjargi_v1

Explanation: data of the breakdown of revenue pursuant to the Classification of Economic Activities related to the annual report of businesses

Additional information: in use since May 2017. Issues data onwards from the financial year of 2015.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_aruandeMyygituluEMTAKjargi_v1.xsd

Price: 0,25€/per company + VAT

Input parameters / search variables:

| Name | Meaning | Notes |
|---------------------------------|---|--|
| ariregister_kasutajanimi | e-Business register user name | (required parameter) |
| ariregister_parool | e-Business register password | (required parameter) |
| esitatud_algus esitatud_lõpp | Interval of submitted reports with the precision of the time of day | (required parameter) The maximum interval permitted to be used as an interval: 1 week. |
| ariregistri_kood | Full registry code of the company | |
| aruande_aasta | Year of annual report | |
| aruande_aasta_algus | Beginning date of the annual year | |
| aruande_aasta_lopp | Ending date of the annual year | |
| oiguslik_vorm | Legal form | |
| lehekylg | Query response page, 1 by default | (1,000 report entries per page) |

| | | |
|------|----------|------------------|
| keel | Language | Value est or eng |
|------|----------|------------------|

Output data:

- Registry code
 - Legal form
 - Time of report submission (with the precision of the time of day)
 - Year of annual report
 - Code according to the Classification of Economic Activities (EMTAK)
 - Main activity True/False
 - Sum
 - Sum %
 - Sum coefficient
 - „The business is operating but has not gained revenue“ (True/False)
- Number of pages

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
```

```
<soapenv:Body>
```

```
<prod:aruandeMyygituluEMTAKjargi_v1>
```

```
<prod:keha>
```

```
<prod:ariregister_kasutajanimi>kasutajanimi</prod:ariregister_kasutajanimi>
```

```
<prod:ariregister_parool>parool</prod:ariregister_parool>
```

```
<prod:esitatud_algus>2017-05-11T21:18:30Z</prod:esitatud_algus>
```

```
<prod:esitatud_lopp>2017-05-11T21:20:00Z</prod:esitatud_lopp>
```

```
<!--<prod:ariregistri_kood>?</prod:ariregistri_kood>-->
```

```
<prod:aruande_aasta>2016</prod:aruande_aasta>
```

```
<!--<prod:aruande_aasta_algus>?</prod:aruande_aasta_algus>-->
```

```
<!--<prod:aruande_aasta_lopp>?</prod:aruande_aasta_lopp>-->
```

```
<!--<prod:oiguslik_vorm>?</prod:oiguslik_vorm>-->
```

```
<prod:lehekylg>1</prod:lehekylg>
```

```
<prod:keel>est</prod:keel>
```

```
</prod:keha>
```



```
</prod:aruandeMyygituluEMTAKjargi_v1>  
</soapenv:Body>  
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">  
<SOAP-ENV:Header/>  
<SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">  
<ns1:aruandeMyygituluEMTAKjargi_v1Response>  
<ns1:paring>  
<ns1:ariregister_kasutajanimi>kasutajanimi</ns1:ariregister_kasutajanimi>  
<ns1:ariregister_parool>parool</ns1:ariregister_parool>  
<ns1:esitatud_algus>2017-05-11T21:18:30Z</ns1:esitatud_algus>  
<ns1:esitatud_lopp>2017-05-11T21:20:00Z</ns1:esitatud_lopp>  
<ns1:aruande_aasta>2016</ns1:aruande_aasta>  
<ns1:lehekylg>1</ns1:lehekylg>  
<ns1:keel>est</ns1:keel>  
</ns1:paring>  
<ns1:keha>  
<ns1:kirjed>  
<ns1:item>  
<ns1:ariregistri_kood>90012366</ns1:ariregistri_kood>  
<ns1:oiguslik_vorm>8</ns1:oiguslik_vorm>  
<ns1:esitamise_aeg>2017-05-11T18:18:45.003Z </ns1:esitamise_aeg>  
<ns1:aasta>2016</ns1:aasta>  
<ns1:myygituluta_tegutsev_ettevote>>false</ns1:myygituluta_tegutsev_ettevote>  
<ns1:myygitulud>  
<ns1:item>  
<ns1:emtak_kood>91021</ns1:emtak_kood>  
<ns1:emtak_versioon>EMTAK 2008</ns1:emtak_versioon>  
<ns1:summa>0.000000</ns1:summa>  
<ns1:summa_protsent>0.000000</ns1:summa_protsent>  
<ns1:summa_koef>0.557000</ns1:summa_koef>  
<ns1:pohitegevus>>true</ns1:pohitegevus>  
</ns1:item>
```

```
</ns1:myygitulud>  
</ns1:item>  
</ns1:kirjed>  
<ns1:leitud_kirjete_arv>1</ns1:leitud_kirjete_arv>  
</ns1:keha>  
</ns1:aruandeMyygituluEMTAKjargi_v1Response>  
</SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```

13. Query for e-invoice recipients
(valid as of 1 May 2017)

Query name: arireg.earveRegistriParing_v1

Explanation: information about e-invoice recipients

Additional information: in use since 01.05.2017.

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_earve.xsd

Price: free of charge

Input parameters / search variables:

| Name | Meaning | Notes |
|----------------|--|--|
| tagasta_nimed | Return business names in reply (TRUE/FALSE) | Default "FALSE". |
| tulemuste_lk | List page number, 1 by default | |
| registrikoodid | List of registry codes for which the query is made | (required parameter) The maximum interval permitted to be used as an interval: 1 week. |

Output data:

- Pages – the number of pages of the whole list of the response
- Customers – a list of customers found
- Customer – one customer row
- Registry code – registry code of customer
- name – name of customer. Returned, if the query had a value for return_names. Missing, if query input consists of registry codes and the relevant registry code does not have an active relationship/the registry code is faulty.

- Service provider – identification of the service provider. Not mandatory. Missing, if query input consists of registry codes and the relevant registry code does not have an active relationship/the registry code is faulty.
- status – result of processing. Possible values: OK – the customer has a valid relationship, MR – registry code was not found, registry code is faulty, the queried registry code does not have an active relationship.

Sample query:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:earveRegistriParing_v1>
      <prod:keha>
        <prod:tagasta_nimed>TRUE</prod:tagasta_nimed>
        <prod:tulemuste_lk>1</prod:tulemuste_lk>
        <prod:registrikoodid>
          <prod:registrikood>70000310</prod:registrikood>
        </prod:registrikoodid>
      </prod:keha>
    </prod:earveRegistriParing_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response:

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:earveRegistriParing_v1Response>
      <ns1:paring>
        <ns1:tagasta_nimed>true</ns1:tagasta_nimed>
        <ns1:tulemuste_lk>1</ns1:tulemuste_lk>
        <ns1:registrikoodid>
```

```
<ns1:registrikood>70000310</ns1:registrikood>
</ns1:registrikoodid>
</ns1:paring>
<ns1:keha>
  <ns1:lehekylgi>1</ns1:lehekylgi>
  <ns1:kliendid>
    <ns1:klient>
      <ns1:registrikood>70000310</ns1:registrikood>
      <ns1:nimi>Registrite ja Infosüsteemide Keskus</ns1:nimi>
      <ns1:teenusepakkuja>Fitek</ns1:teenusepakkuja>
      <ns1:staatus>OK</ns1:staatus>
    </ns1:klient>
  </ns1:kliendid>
</ns1:keha>
</ns1:earveRegistriParing_v1Response>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

14. Service of data on beneficial owners
(valid as of 01 September 2018)

Query name: arireg. tegelikudKasusaajad_v1

Price: 1€/company

XSD: http://www2.rik.ee/schemas/xtee6/arireg/live/xroad6_tegelikudKasusaajad_v1.xsd

Explanation: The service issues the data of beneficial owners submitted by an association

Input parameters / search variables:

| Name | Meaning | Notes |
|--------------------------|-------------------------------|--|
| ariregister_kasutajanimi | e-Business register user name | (Required parameter) |
| ariregister_parool | e-Business register password | (Required parameter) |
| ariregistri_kood | Registry code of the company | |
| ainult_kehtivad | Search only active | Value 1 or 0, i.e. yes or no. Default: 0 = no. |

Output data:

- Is the business required to submit beneficial owners?
- Given name of beneficial owner
- Surname of beneficial owner
- Personal identification code of beneficial owner
- Foreign ID code of beneficial owner
- Country of the foreign ID code or birth state of beneficial owner
- Country of the foreign ID code or birth state of beneficial owner as text

- Date of birth of beneficial owner
- State of residence of beneficial owner
- State of residence of beneficial owner as text
- Manner of exercising control of beneficial owner
- Manner of exercising control of beneficial owner as text
- Manner of termination of beneficial owner
- Manner of termination of beneficial owner as text
- Starting date of beneficial owner

Sample query (example 1):

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">
  <soapenv:Body>
    <prod:tegelikudKasusaajad_v1>
      <prod:keha>
        <!--Optional:-->
        <prod:ariregister_kasutajanimi>xxxx</prod:ariregister_kasutajanimi>
        <!--Optional:-->
        <prod:ariregister_parool>xxxx</prod:ariregister_parool>
        <prod:ariregistri_kood>10000000</prod:ariregistri_kood>
      </prod:keha>
    </prod:tegelikudKasusaajad_v1>
  </soapenv:Body>
</soapenv:Envelope>
```

Sample response (example 1):

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">
    <ns1:tegelikudKasusaajad_v1Response>
      <ns1:paring>
        <ns1:ariregister_kasutajanimi>xxxx</ns1:ariregister_kasutajanimi>
      </ns1:paring>
    </ns1:tegelikudKasusaajad_v1Response>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
<ns1:ariregister_parool>xxxx</ns1:ariregister_parool>
<ns1:ariregistri_kood>10000000</ns1:ariregistri_kood>
</ns1:paring>
<ns1:keha>
  <ns1:kasusaajad>
    <ns1:kasusaaja>
      <ns1:kirje_id>9000599724</ns1:kirje_id>
      <ns1:eesnimi>Ben</ns1:eesnimi>
      <ns1:nimi>Oko</ns1:nimi>
      <ns1:valis_kood_riik>BWA</ns1:valis_kood_riik>
      <ns1:valis_kood_riik_tekstina>Botswana</ns1:valis_kood_riik_tekstina>
      <ns1:synniaeg>1979-10-08Z</ns1:synniaeg>
      <ns1:aadress_riik>ALA</ns1:aadress_riik>
      <ns1:aadress_riik_tekstina>Ahvenamaa</ns1:aadress_riik_tekstina>
      <ns1:kontrolli_teostamise_viis>O</ns1:kontrolli_teostamise_viis>
      <ns1:kontrolli_teostamise_viis_tekstina>otsene osalus</ns1:kontrolli_teostamise_viis_tekstina>
      <ns1:algus_kpv>2018-08-27Z</ns1:algus_kpv>
    </ns1:kasusaaja>
    <ns1:kasusaaja>
      <ns1:kirje_id>9000599726</ns1:kirje_id>
      <ns1:eesnimi>Jaan</ns1:eesnimi>
      <ns1:nimi>RIK</ns1:nimi>
      <ns1:isikukood>3000000000</ns1:isikukood>
      <ns1:aadress_riik>ALA</ns1:aadress_riik>
      <ns1:aadress_riik_tekstina>Ahvenamaa</ns1:aadress_riik_tekstina>
      <ns1:kontrolli_teostamise_viis>O</ns1:kontrolli_teostamise_viis>
      <ns1:kontrolli_teostamise_viis_tekstina>otsene osalus</ns1:kontrolli_teostamise_viis_tekstina>
      <ns1:algus_kpv>2018-08-27Z</ns1:algus_kpv>
    </ns1:kasusaaja>
    <ns1:kasusaaja>
      <ns1:kirje_id>9000599727</ns1:kirje_id>
      <ns1:eesnimi>Taavi</ns1:eesnimi>
      <ns1:nimi>RIK</ns1:nimi>
      <ns1:isikukood>3000000000</ns1:isikukood>
      <ns1:aadress_riik>ALA</ns1:aadress_riik>
      <ns1:aadress_riik_tekstina>Ahvenamaa</ns1:aadress_riik_tekstina>
```



```
<ns1:kontrolli_teostamise_viis>O</ns1:kontrolli_teostamise_viis>
<ns1:kontrolli_teostamise_viis_tekstina>otsene osalus</ns1:kontrolli_teostamise_viis_tekstina>
<ns1:algus_kpv>2018-08-27Z</ns1:algus_kpv>
</ns1:kasusaaja>
<ns1:kasusaaja>
  <ns1:kirje_id>9000599725</ns1:kirje_id>
  <ns1:eesnimi>Benja.</ns1:eesnimi>
  <ns1:nimi>Orn</ns1:nimi>
  <ns1:valis_kood_riik>BWA</ns1:valis_kood_riik>
  <ns1:valis_kood_riik_tekstina>Botswana</ns1:valis_kood_riik_tekstina>
  <ns1:synniaeg>1979-10-08Z</ns1:synniaeg>
  <ns1:aadress_riik>ALA</ns1:aadress_riik>
  <ns1:aadress_riik_tekstina>Ahvenamaa</ns1:aadress_riik_tekstina>
  <ns1:kontrolli_teostamise_viis>X</ns1:kontrolli_teostamise_viis>
  <ns1:kontrolli_teostamise_viis_tekstina>suurem kui 50%-line osalus konsolideeritava üksuse hääleõiguses</ns1:kontrolli_teostamise_viis_tekstina>
  <ns1:algus_kpv>2018-08-27Z</ns1:algus_kpv>
  <ns1:lopp_kpv>2018-08-27Z</ns1:lopp_kpv>
</ns1:kasusaaja>
<ns1:kasusaaja>
  <ns1:kirje_id>9000599723</ns1:kirje_id>
  <ns1:eesnimi>Jaan</ns1:eesnimi>
  <ns1:nimi>RIK</ns1:nimi>
  <ns1:valis_kood>3000000000</ns1:valis_kood>
  <ns1:valis_kood_riik>BWA</ns1:valis_kood_riik>
  <ns1:valis_kood_riik_tekstina>Botswana</ns1:valis_kood_riik_tekstina>
  <ns1:aadress_riik>ALB</ns1:aadress_riik>
  <ns1:aadress_riik_tekstina>Albaania</ns1:aadress_riik_tekstina>
  <ns1:kontrolli_teostamise_viis>O</ns1:kontrolli_teostamise_viis>
  <ns1:kontrolli_teostamise_viis_tekstina>otsene osalus</ns1:kontrolli_teostamise_viis_tekstina>
  <ns1:lopetamise_liik>K</ns1:lopetamise_liik>
  <ns1:lopetamise_liik_tekstina>Kehtetu</ns1:lopetamise_liik_tekstina>
  <ns1:algus_kpv>2018-08-27Z</ns1:algus_kpv>
  <ns1:lopp_kpv>2018-08-27Z</ns1:lopp_kpv>
</ns1:kasusaaja>
</ns1:kasusaajad>
<ns1:esitab_kasusaajad>true</ns1:esitab_kasusaajad>
```

```
</ns1:keha>  
</ns1:tgelegikudKasusaajad_v1Response>  
</SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```

Sample query (example 2 – active only):

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xro="http://x-road.eu/xsd/xroad.xsd" xmlns:iden="http://x-road.eu/xsd/identifiers" xmlns:prod="http://arireg.x-road.eu/producer/">  
  <soapenv:Body>  
    <prod:tgelegikudKasusaajad_v1>  
      <prod:keha>  
        <!--Optional:-->  
        <prod:ariregister_kasutajanimi>xxx</prod:ariregister_kasutajanimi>  
        <!--Optional:-->  
        <prod:ariregister_parool>xxx</prod:ariregister_parool>  
        <prod:ariregistri_kood>10000000</prod:ariregistri_kood>  
        <!--Optional:-->  
        <prod:ainult_kehtivad>true</prod:ainult_kehtivad>  
      </prod:keha>  
    </prod:tgelegikudKasusaajad_v1>  
  </soapenv:Body>  
</soapenv:Envelope>
```

Sample response (example 2 – active only):

```
<SOAP-ENV:Envelope xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:ZSI="http://www.zolera.com/schemas/ZSI/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">  
  <SOAP-ENV:Header/>  
  <SOAP-ENV:Body xmlns:ns1="http://arireg.x-road.eu/producer/">  
    <ns1:tgelegikudKasusaajad_v1Response>  
      <ns1:paring>  
        <ns1:ariregister_kasutajanimi>xxxx</ns1:ariregister_kasutajanimi>  
        <ns1:ariregister_parool>xxxx</ns1:ariregister_parool>  
        <ns1:ariregistri_kood>10000000</ns1:ariregistri_kood>  
        <ns1:ainult_kehtivad>true</ns1:ainult_kehtivad>
```

```
</ns1:paring>
<ns1:keha>
  <ns1:kasusaajad>
    <ns1:kasusaaja>
      <ns1:kirje_id>9000599724</ns1:kirje_id>
      <ns1:eesnimi>Ben</ns1:eesnimi>
      <ns1:nimi>Orn</ns1:nimi>
      <ns1:valis_kood_riik>BWA</ns1:valis_kood_riik>
      <ns1:valis_kood_riik_tekstina>Botswana</ns1:valis_kood_riik_tekstina>
      <ns1:synniaeg>1970-10-11Z</ns1:synniaeg>
      <ns1:aadress_riik>ALA</ns1:aadress_riik>
      <ns1:aadress_riik_tekstina>Ahvenamaa</ns1:aadress_riik_tekstina>
      <ns1:kontrolli_teostamise_viis>O</ns1:kontrolli_teostamise_viis>
      <ns1:kontrolli_teostamise_viis_tekstina>otsene osalus</ns1:kontrolli_teostamise_viis_tekstina>
      <ns1:algus_kpv>2018-08-27Z</ns1:algus_kpv>
    </ns1:kasusaaja>
    <ns1:kasusaaja>
      <ns1:kirje_id>9000599726</ns1:kirje_id>
      <ns1:eesnimi>Jaan</ns1:eesnimi>
      <ns1:nimi>RIK</ns1:nimi>
      <ns1:isikukood>3000000000</ns1:isikukood>
      <ns1:aadress_riik>ALA</ns1:aadress_riik>
      <ns1:aadress_riik_tekstina>Ahvenamaa</ns1:aadress_riik_tekstina>
      <ns1:kontrolli_teostamise_viis>O</ns1:kontrolli_teostamise_viis>
      <ns1:kontrolli_teostamise_viis_tekstina>otsene osalus</ns1:kontrolli_teostamise_viis_tekstina>
      <ns1:algus_kpv>2018-08-27Z</ns1:algus_kpv>
    </ns1:kasusaaja>
    <ns1:kasusaaja>
      <ns1:kirje_id>9000599727</ns1:kirje_id>
      <ns1:eesnimi>Taavi</ns1:eesnimi>
      <ns1:nimi>RIK</ns1:nimi>
      <ns1:isikukood>3000000000</ns1:isikukood>
      <ns1:aadress_riik>ALA</ns1:aadress_riik>
      <ns1:aadress_riik_tekstina>Ahvenamaa</ns1:aadress_riik_tekstina>
      <ns1:kontrolli_teostamise_viis>O</ns1:kontrolli_teostamise_viis>
      <ns1:kontrolli_teostamise_viis_tekstina>otsene osalus</ns1:kontrolli_teostamise_viis_tekstina>
```

```
<ns1:algus_kpv>2018-08-27Z</ns1:algus_kpv>  
</ns1:kasusaaja>  
</ns1:kasusaajad>  
<ns1:esitab_kasusaajad>true</ns1:esitab_kasusaajad>  
</ns1:keha>  
</ns1:tegelikudKasusaajad_v1Response>  
</SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```